

What is claimed is:

1. A pharmaceutical composition comprising a pharmaceutically acceptable carrier and a compound selected from the group consisting of:  
3-(3,5-ditert-butylphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid (TFA salt);  
5 3-(3-tert-butyl-5-iodophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
3-(3-tert-butyl-5-bromophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
10 3-(5-tert-Butyl-2-hydroxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
3-[3,5-Ditert-butyl-2-(carboxymethoxy)phenyl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
15 3-(5-tert-Butyl-2-methoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
3-(3,5-Ditert-butyl-4-methoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
20 3-[3-tert-Butyl-5-[2,2,2-trifluoro-1-hydroxy-1-(trifluoromethyl)ethyl]-phenyl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
3-(3,4-Dichlorophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;  
25 3-(3-Fluoro-4-methylphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;  
3-(4-Phenoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;  
30 3-(1-Benzofuran-2-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;  
3-[4-(Benzylxy)phenyl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;  
3-[4-(Methylsulfonyl)phenyl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;  
4-{3-[3-(5,6,7,8-Tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}-3-[4-(trifluoromethoxy)phenyl]butanoic acid trifluoroacetate;

- 3-(3-Furyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 35 4-{3-[3-(5,6,7,8-Tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}-3-thien-3-ylbutanoic acid trifluoroacetate;
- 3-(2,3-Dihydro-1,4-benzodioxin-6-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 40 4-{3-[3-(5,6,7,8-Tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}-3-[3-(trifluoromethoxy)phenyl]butanoic acid hydrochloride;
- 4-{3-[3-(5,6,7,8-Tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}-3-(3,4,5-trifluorophenyl)butanoic acid hydrochloride;
- 3-(2,2-Difluoro-1,3-benzodioxol-5-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 45 3-[3-Fluoro-5-(trifluoromethyl)phenyl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-(6-Methoxy-2-naphthyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 50 3-(6-Methoxypyridin-3-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;
- 3-(4-Cyanophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;
- 3-(3-Cyanophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;
- 55 3-benzyl-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(4-fluoro-3-methoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(3-Fluoro-5-methoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 60 3-(2-Methyl-1,3-benzothiazol-5-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-[2-(4-Chlorophenyl)-1,3-thiazol-5-yl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 65 3-[2-(4-Methoxyphenyl)-1,3-thiazol-5-yl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;

- 3-(2-Methyl-1,3-benzothiazol-5-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-[2-(4-Fluorophenyl)-1,3-thiazol-5-yl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-[2-(3,5-Difluorophenyl)-1,3-thiazol-5-yl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-[2-(3,4-Difluorophenyl)-1,3-thiazol-5-yl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-[2-(2-Furyl)-1,3-thiazol-5-yl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-(3,4-Dimethoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(3,5-Dimethoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(3,5-Dichlorophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(3,5-Difluorophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(3-Fluoro-4-methoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 4-{3-[3-(5,6,7,8-Tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}-3-[4-(trifluoromethyl)phenyl]butanoic acid trifluoroacetate;
- 3-(2-Methyl-1,3-thiazol-5-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(1-Phenyl-1H-pyrazol-4-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;
- 3-(1-Benzofuran-6-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-(2,3-dihydro-1-benzofuran-6-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 3-(1,3-Benzodioxol-5-yl)-4-(3-{3-[(pyridin-2-ylamino)methyl]phenyl}-1,2,4-oxadiazol-5-yl)butanoic acid hydrochloride;
- 3-(7-Fluoro-1,3-benzodioxol-5-yl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;

- 3-(1,3-Benzoxazol-6-yl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid hydrochloride;
- 3-(3-Methyl-1,2,4-oxadiazol-5-yl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;
- 105 3-(3-Ethyl-1,2,4-oxadiazol-5-yl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;
- 3-(3-Phenyl-1,2,4-oxadiazol-5-yl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;
- [1-Benzoyl-4-(3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl)methyl]piperidin-4-yl]acetic acid trifluoroacetate;
- [1-Benzoyl-4-(3-[4-(pyridin-2-ylamino)butyl]-1,2,4-oxadiazol-5-yl)methyl]piperidin-4-yl]acetic acid trifluoroacetate;
- [1-(tert-Butoxycarbonyl)-4-(3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl)methyl]piperidin-4-yl]acetic acid trifluoroacetate;
- 110 [1-(tert-Butoxycarbonyl)-4-(3-[4-(pyridin-2-ylamino)butyl]-1,2,4-oxadiazol-5-yl)methyl]piperidin-4-yl]acetic acid trifluoroacetate;
- 3-(4-Methylphenyl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;
- 3-(3-Chlorophenyl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid hydrochloride;
- 120 3-(4-Methoxy-3-methylphenyl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid hydrochloride;
- 3-[4-(Methylthio)phenyl]-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;
- 125 3-(1-Methyl-1H-indol-3-yl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;
- 3-(1,1'-Biphenyl-4-yl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid hydrochloride;
- 130 3-(3-Bromophenyl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;
- 3-(4-Bromophenyl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid hydrochloride;
- 3-(3-Phenoxyphenyl)-4-[3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl]butanoic acid trifluoroacetate;

- 135 3-[3-(Benzyl)phenyl]-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;  
3-(3-Bromo-4-methoxyphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid trifluoroacetate;  
4-{3-[3-(5,6,7,8-Tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}-3-(3,4,5-trimethoxyphenyl)butanoic acid trifluoroacetate;
- 140 3-(2-Naphthyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;  
3-(3-Nitrophenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 145 3-(3-Methylphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;  
3-(2-Furyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;  
3-(2-Methylphenyl)-4-{3-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid hydrochloride;
- 150 3-(1,3-benzodioxol-5-yl)-4-{3-[3-(3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-6-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid, TFA;  
4-{3-[3-(3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-6-yl)propyl]-1,2,4-oxadiazol-5-yl}-3-(3,5-dimethoxyphenyl)butanoic acid, TFA;
- 155 3-Benzo[1,3]dioxol-5-yl-4-{3-[3-(6,7,8,9-tetrahydro-5-oxa-1,9-diaza-benzocyclohepten-2-yl)-propyl]-[1,2,4]oxadiazol-5-yl}-butyric acid;  
3-(3-Fluoro-4-methoxyphenyl)-4-{3-[3-(6,7,8,9-tetrahydro-5-oxa-1,9-diaza-benzocyclohepten-2-yl)-propyl]-[1,2,4]oxadiazol-5-yl}-butyric acid;  
3-(3,5-Difluorophenyl)-4-{3-[3-(6,7,8,9-tetrahydro-5-oxa-1,9-diaza-benzocyclohepten-2-yl)-propyl]-[1,2,4]oxadiazol-5-yl}-butyric acid;
- 160 3-(3,5-Dimethoxyphenyl)-4-{3-[3-(6,7,8,9-tetrahydro-5-oxa-1,9-diaza-benzocyclohepten-2-yl)-propyl]-[1,2,4]oxadiazol-5-yl}-butyric acid;  
3-(2-Methylbenzothiazol-5-yl)-4-{3-[3-(6,7,8,9-tetrahydro-5-oxa-1,9-diaza-benzocyclohepten-2-yl)-propyl]-[1,2,4]oxadiazol-5-yl}-butyric acid;
- 165 3-(1,3-benzodioxol-5-yl)-4-{3-[3-(1,2,3,5-tetrahydropyrido[2,3-e][1,4]oxazepin-8-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid, TFA;  
3-(3,5-dimethoxyphenyl)-4-{3-[3-(1,2,3,5-tetrahydropyrido[2,3-e][1,4]oxazepin-8-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid, TFA;

- 3-(1,3-Benzodioxol-5-yl)-4-(3-{3-[6-(methylamino)pyridin-2-yl]propyl}-1,2,4-oxadiazol-5-yl)butanoic acid hydrochloride;
- 3-(3-Fluorophenyl)-4-(3-{3-[6-(methylamino)pyridin-2-yl]propyl}-1,2,4-oxadiazol-5-yl)butanoic acid trifluoroacetate;
- 3-(1,3-benzodioxol-5-yl)-4-(3-{3-[6-(ethylamino)pyridin-2-yl]propyl}-1,2,4-oxadiazol-5-yl)butanoic acid trifluoroacetate;
- 175 3-(3-Fuorophenyl)-4-(3-{3-[6-(methylamino) pyridin-2- yl]propyl}-1,2,4-oxadiazol-5-yl)butanoic acid trifluoroacetate;
- 3-(1,3-Benzodioxol-5-yl)-4-(3-{4-[(4-methylpyridin-2-yl)amino]butyl}-1,2,4-oxadiazol-5-yl)butanoic acid;
- 3-(1,3-benzodioxol-5-yl)-4-(3-{4-[(6-methylpyridin-2-yl)amino]butyl}-1,2,4-oxadiazol-5-yl)butanoic acid;
- 180 (2-{6-[2-(5,6,7,8-Tetrahydro-1,8-naphthyridin-2-yl)ethoxy]pyridin-3-yl}cyclopropyl)acetic acid;
- 3-Methyl-4-{6-[2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethoxy]pyridin-3-yl}butanoic acid;
- 185 3-(1,3-benzodioxol-5-yl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-oxadiazol-2-yl}butanoic acid trifluoroacetate;
- 3-(3-fluorophenyl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-oxadiazol-2-yl}butanoic acid trifluoroacetate;
- 3-(3-Fluoro-4-methoxyphenyl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-oxadiazol-2-yl}butanoic acid trifluoroacetate;
- 190 3-(3,5-Dimethoxyphenyl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-oxadiazol-2-yl}butanoic acid trifluoroacetate;
- 3-(2-Methyl-1,3-thiazol-5-yl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-oxadiazol-2-yl}butanoic acid trifluoroacetate;
- 195 3-(4-Fluorophenyl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-oxadiazol-2-yl}butanoic acid trifluoroacetate;
- 3-(3,5-Difluorophenyl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-oxadiazol-2-yl}butanoic acid trifluoroacetate;
- 3-(3,5-Difluorophenyl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-200 thiadiazol-2-yl}butanoic acid trifluoroacetate;
- 3-(4-Fluorophenyl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-thiadiazol-2-yl}butanoic acid trifluoroacetate;

- 3-(2-Methyl-1,3-thiazol-5-yl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-thiadiazol-2-yl}butanoic acid trifluoroacetate;
- 205 3-(1,3-Benzodioxol-5-yl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,3,4-thiadiazol-2-yl}butanoic acid trifluoroacetate;
- 3-(1,3-benzodioxol-5-yl)-4-{3-[2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethoxy]isoxazol-5-yl}butanoic acid;
- 3-(1,3-benzodioxol-5-yl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-2H-tetraazol-2-yl}butanoic acid;
- 210 3-(1,3-benzodioxol-5-yl)-4-{5-[3-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1H-tetraazol-1-yl}butanoic acid;
- 3-(1,3-benzodioxol-5-yl)-4-{3-[2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethoxy]-1H-pyrazol-5-yl}butanoic acid;
- 215 3-(1,3-benzodioxol-5-yl)-4-{3-[3-(4,5-dihydro-1H-imidazol-2-ylamino)propoxy]isoxazol-5-yl}butanoic acid;
- 3-[2-(4-chlorophenyl)-1,3-thiazol-5-yl]-4-{3-[2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethoxy]isoxazol-5-yl}butanoic acid;
- 3-Benzo[1,3]dioxol-5-yl-4-{3-[2-(6,7,8,9-tetrahydro-5-oxa-1,9-diaza-
- 220 benzocyclohepten-2-yl)-ethoxy]-isoxazol-5-yl}-butyric acid;
- 3-Benzo[1,3]dioxol-5-yl-4-{3-oxo-2-[2-(6,7,8,9-tetrahydro-5-oxa-1,9-diaza-benzocyclohepten-2-yl)-ethyl]-2,3-dihydro-isoxazol-5-yl}-butyric acid;
- 3-(1,3-benzodioxol-5-yl)-4-{3-[2-(3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-6-yl)ethoxy]isoxazol-5-yl}butanoic acid, TFA;
- 225 3-(1,3-benzodioxol-5-yl)-4-{2-[2-(3,4-dihydro-2H-pyrido[3,2-b][1,4]oxazin-6-yl)ethyl]-3-oxo-2,3-dihydroisoxazol-5-yl}butanoic acid, TFA;
- 3-(1,3-benzodioxol-5-yl)-4-{3-[2-(1,2,3,5-tetrahydropyrido[2,3-e][1,4]oxazepin-8-yl)ethoxy]isoxazol-5-yl}butanoic acid, TFA;
- 3-(1,3-benzodioxol-5-yl)-4-{3-oxo-2-[2-(1,2,3,5-tetrahydropyrido[2,3-e][1,4]oxazepin-8-yl)ethyl]-2,3-dihydroisoxazol-5-yl}butanoic acid, TFA;
- 230 3-(1,3-benzodioxol-5-yl)-4-(3-{2-[5-(methoxymethyl)-6-(methylamino)pyridin-2-yl]ethoxy}isoxazol-5-yl)butanoic acid, TFA;
- 3-(1,3-Benzodioxol-5-yl)-4-{3-[3-(5,5-dimethyl-5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;
- 235 3-(1,3-benzodioxol-5-yl)-4-{3-[3-(1-methyl-1,2,3,4-tetrahydropyrido[2,3-b]pyrazin-6-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;

3-(2-methyl-1,3-benzothiazol-5-yl)-4-{3-[3-(1-methyl-1,2,3,4-tetrahydropyrido[2,3-b]pyrazin-6-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
3-(3-fluoro-4-methoxyphenyl)-4-{3-[3-(1-methyl-1,2,3,4-tetrahydropyrido[2,3-b]pyrazin-6-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
240 3-(6-methoxypyridin-3-yl)-4-{3-[3-(1-methyl-1,2,3,4-tetrahydropyrido[2,3-b]pyrazin-6-yl)propyl]-1,2,4-oxadiazol-5-yl}butanoic acid;  
3-(1,3-benzodioxol-5-yl)-4-(3-{{2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethyl}thio}-1H-1,2,4-triazol-5-yl)butanoic acid;  
245 3-(1,3-benzodioxol-5-yl)-4-(1-methyl-5-{{2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethyl}thio}-1H-1,2,4-triazol-3-yl)butanoic acid;  
3-(1,3-benzodioxol-5-yl)-4-(4-methyl-5-{{2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethyl}thio}-4H-1,2,4-triazol-3-yl)butanoic acid;  
3-(1,3-benzodioxol-5-yl)-4-{3-[2-(1-methyl-1,2,3,4-tetrahydropyrido[2,3-b]pyrazin-6-yl)ethoxy]isoxazol-5-yl}butanoic acid;  
250 3-(1,3-benzodioxol-5-yl)-4-(3-{2-[6-(methylamino)pyridin-2-yl]ethoxy}isoxazol-5-yl)butanoic acid; and  
3-(6-methoxypyridin-3-yl)-4-{3-[2-(5,6,7,8-tetrahydro-1,8-naphthyridin-2-yl)ethoxy]isoxazol-5-yl}butanoic acid.

2. A method for the treatment or prevention of conditions mediated by the  $\alpha\beta_3$  integrin in a mammal in need of such treatment, the method comprising administering to the subject a therapeutically effective amount of a composition of Claim 1.

3. The method according to Claim 2 wherein the condition treated is selected from the group consisting of tumor metastasis, solid tumor growth, angiogenesis, osteoporosis, humoral hypercalcemia of malignancy, smooth muscle cell migration, restenosis, atherosclerosis, macular degeneration, retinopathy, and 5 arthritis.

4. A method for the treatment or prevention of conditions mediated by the  $\alpha\beta_5$  integrin in a mammal in need of such treatment, the method comprising

administering to the subject a therapeutically effective amount of a composition of

Claim 1.

5. The method according to Claim 4 wherein the condition treated is selected from the group consisting of tumor metastasis, solid tumor growth, angiogenesis, osteoporosis, humoral hypercalcemia of malignancy, smooth muscle cell migration, restenosis, atherosclerosis, macular degeneration, retinopathy, and arthritis.